Sappi Europe

Glaverbel Building
166 Chaussée de la Hulpe
1170 Brussels
BELGIUM
Tel +32 (0)2 676 9700

Dr. Christian Torborg
Regulatory Affairs Specialist
Tel: +49 5181 77 744
Mob: +49 151 5383 8695
email: christian.torborg@sappi.com

June 24, 2026

Declaration of Compliance

Product Name: Algro Design

Product Description: Solid bleached cartonboard

1. General Information

Pulp composition

Algro Design is produced with a mixture of elementary and totally chlorine free bleached cellulose fibres. The production is based on virgin fibres only and no recycled fibres are used for pulp preparation. We further confirm that *Algro Design* is produced without intentional addition of any recycled materials.

Acid content/Chloride content

The pH of *Algro Design* measured according to ISO 6588-1:2012-11 is between 8-10. Therefore, *Algro Design* can be described as alkaline. It has not been tested for chloride content.

Storing and handling recommendations

Under appropriate storage conditions the functionality of *Algro Design* is guaranteed for 12 months after supply. Appropriate storage conditions are defined as storage of the supplied reels and sheets in original packaging protected against direct sun light at an average climate (± 10 %) of 23°C, 50 % rel. humidity. Especially high storage temperatures, high ambient humidity and direct UV radiation should be avoided. In case of differences between storage climate and the ambient conditions during conversion the reels and sheets must be stored at least 24 h in original packaging, preferably 48 h near the conversion machine to make sure that the reels and sheets adopt the ambient temperature. This also holds for paper reels just supplied because temperature differences over the web width and running length might negatively affect the conversion process. To avoid the buildup of rope marks and creases, as well as flatness deviations (in case of sheets) by moisture exchange with the environment, the original packaging, especially under humid climate conditions, should only be removed immediately before conversion. Also opened reels have to be appropriately repacked with a moisture barrier packaging.

Producing mill

Algro Design is produced at Maastricht mill.

2. Food Contact Status

Conditions for food contact

Algro Design can be used as food contact material. It can be used for long term contact (maximum 2 years) at room temperature. It also can be used for short term contact (maximum 2 hours) at temperatures up to 90 °C (holding and reheating of food) in accordance with XXXVI recommendation of the BfR. It can be used in direct contact with dry foodstuff. Furthermore, contact can be made with such fatty foodstuffs which were assigned to a correction factor of at least 3 according to Annex III, table 2 of Commission Regulation EU 10/2011.

Compliance with (EU) No 1935/2004

Algro Design complies with the requirements of Framework Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food. *Algro Design* can be applied as packaging for foodstuffs.

Compliance with (EC) No 2023/2006

Algro Design was manufactured in accordance with Commission Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food. The producing mill has implemented a quality management system according to ISO 9001 as well as a hygiene management system. Both are externally certified.

Compliance with BfR recommendation XXXVI

Algro Design has been found to be in compliance with the requirements set in ***Bundesinstitut für Risikobewertung (BfR) Recommendation XXXVI***. *„Papier, Kartons und Pappen für den Lebensmittelkontakt“ (Paper and board for food contact).*

Compliance with Foodstuffs and Animal Feed Code (LFGB)

Algro Design is in compliance with the rules of the current version of the Foodstuffs, Consumer Goods and Animal Feed Code (Foodstuffs and Animal Feed Code (LFGB)).

Compliance with Italian legislation DM 21.3.73

Algro Design has not been assessed for compliance with Ministerial Decree of 21 March 1973.

Compliance with FDA requirements for food packaging

Algro Design is in compliance with the demands of the Code of Federal Regulations, Foods and Drugs (FDA), 21 CFR Ch. 1 (version of April 2024), §§ 176.170 and 176.180.

Compliance with the Swiss Ordinance on food packaging materials

Algro Design fulfills the requirements stated in the Swiss Ordinance on Materials and Articles (SR 817.023.21), Part 9, Article 27. It solely contains virgin fibres and no recycled fibres.

Compliance with (EU) No 10/2011

Algro Design is not within the scope *Commission Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food*, as it is not plastic. *Algro Design* might contain substances subject to a SML according to this regulation. Based on the information given by our raw material suppliers, worst-case calculations are performed to determine the content of respective SML substances in *Algro Design*. Based on this calculated content, the SML limits for each substance (or substance group) migrating in the foodstuff are kept, if a food contact material/food ratio of 13 dm2/kg is considered.

Amendments up to and until 21 February 2025 (Commission Regulation (EU) 2025/351) have been considered.

3. Toy Safety

Toy safety EN 71/3

Algro Design has been tested and found to be in compliance with the demands of the latest version of the Toy Safety standard EN 71-3: "Migration of certain elements".

4. Relevant legislation

Compliance with EC 1907/2006 (REACH)

EC 1907/2006 (REACH) primarily addresses chemical substances and preparations. From the perspective of REACH paper is considered as an article. Registration or notification requirements only apply for articles if the certain criteria are met. This is not the case for above mentioned product, that is why registration or notification requirements under REACH cannot be applied. None of the substances listed in the ECHA Candidate List of Substances of Very High Concern, updated on 4th of February 2026, are intentionally used in the formulation or during the manufacturing process of above mentioned product in a content > 0,1%. We further confirm the compliance with Article 33 of EC 1907/2006 about the duty to communicate information on substances in articles.

Compliance with Regulation (EU) 2025/40 (PPWR)

Article 5(4) – Regulation (EU) 2025/40 (PPWR), minimization of substances of concern(heavy metals):
Algro Design complies with the heavy metal requirements set out in Article 5.4 of Regulation (EU) 2025/40 (PPWR).

Article 5(5) – Regulation (EU) 2025/40 (PPWR), substances of concern (PFAS / Total Fluorine):
PFAS are not intentionally added in the manufacturing process of *Algro Design*. Sappi paper grades were analyzed according to the testing approach recommended in the guidance for Article 5(5) of Regulation (EU) 2025/40 (PPWR). Based on the obtained test results, *Algro Design* complies with the requirements set out in Article 5(5) of Regulation (EU) 2025/40 (PPWR).

Article 6 – Regulation (EU) 2025/40 (PPWR), recyclability:
The recyclability of *Algro Design* has been proven. The requirements set in EN 13430:2004 (Requirements for packaging recoverable by material recycling) are met.

The data reflects compliance with Regulation (EU) 2025/40 (PPWR), including Article 5(4) (heavy metals), Article 5(5) (substances of concern / PFAS), and Article 6 (recyclability), as applicable. Representative samples from each mill and/or each brand family have been selected, tested and cross-referenced. This information is valid for paper products delivered by Sappi mills, prior to any further converting processes.

CONEG

Algro Design is in compliance with the demands of the current version of the Model Toxics Legislation by the Source Reduction Council of CONEG regarding the content of heavy metals. The sum of the heavy metals Cr(VI), Pb, Cd, Hg is below 100 ppm.

EN 13427

In case *Algro Design* is used as part of a packaging material, the following statements regarding the EN 13427 et seqq. may serve as the input for the producer of the finished packaging.

- EN 13427: This standard specifies requirements and a procedure by which a person or organization responsible for placing packaging or packed product on the market may combine the application of the following packaging standards.
- EN 13428: *Algro Design* is made without the use of waste paper. The usage of hazardous chemicals during production has been minimized. The sum of content of the heavy metals lead (Pb), cadmium (Cd), mercury (Hg) and chromium (VI) (Cr(VI)) in *Algro Design* is below 100 ppm.
- EN 13429: This is not directly applicable to *Algro Design* and depends on the properties of the finished packaging.
- EN 13430: *Algro Design* is fully recyclable and comply with the criteria of this standard regarding material recycling. We advise and encourage all users of our papers to recycle our papers after use.
- EN 13431: *Algro Design* will contribute a positive calorific value for a thermal energy recovery process. We however recommend favoring material recycling over incineration.
- EN 13432: *Algro Design* has not been tested on the requirements of this clause. We recommend favoring material recycling over composting.

Compliance with (EU) 528/2012 (Biocides)

The preservation agents used in the production of *Algro Design* (e.g. in pigment slurries) comply with the Regulation (EU) 528/2012, including amendments and are used in accordance with XXXVI. recommendation of the BfR. No special biocide treatment is applied to the above mentioned product to give it an antimicrobial effect, it is therefore not a 'treated article' in sense of the Regulation (EU) 528/2012. *Algro Design* does not have an effect on the growth of microorganisms which is proven by a negative Hemmhof test based on DIN EN 1104.

Compliance with Directive 2011/65/EU (RoHS)

The EU-directive 2011/65/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (ROHS directive and its amendments Directive (EU) 2015/863 and Directive (EU) 2017/2102 are not applicable to *Algro Design*.

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

Substances listed in the latest version of the Safe Drinking And Toxic Enforcement Act of 1986 Proposition 65 have not intentionally been added to the manufacturing process of the above mentioned product. Updates until and including December 5th, 2025 have been considered.

5. Miscellaneous

Animal testing

The production facilities for *Algro Design* does neither conduct nor commission animal testing with *Algro Design*. Our suppliers confirmed that they neither conduct nor commission animal testing with their products at all or commission animal testing only as a part of a toxicological evaluation to ensure safety and regulatory compliance of the respective products. The suppliers who are concerned confirmed that they are continuosly looking for in-vitro alternatives being accepted by legal authorities in order to actively minimize testing on animals.

BSE/TSE risk

Raw materials of animal origin classified as risk materials according to COMMISSION REGULATION (EC) No 1326/2001, Annex III, are not used during the manufacture of *Algro Design*. For all processing aids, i.e. defoamers, we already have declarations of our suppliers available that specifically exclude a TSE risk. In detail, the respective suppliers confirmed, that during the production of respective raw materials and their precursors, the conditions outlined in EMEA/410/1, section 6.4., respectively in Annex I 3. of EU 722/2012 are applied.

Halal/Kosher

The presence of traces of substances of animal origin in *Algro Design* cannot be fully excluded. Neither *Algro Design* nor the producing mills have been assessed or certified as Kosher or Halal.

Substances of animal origin

The presence of traces of substances of animal origin in *Algro Design* cannot be fully excluded.

6. Information on end-of-life scenarios

Recyclability

The above mentioned product is fully recyclable in the waste paper stream. *Algro Design* has not been tested for its repulpability properties, but to the best of our knowledge about *Algro Design* composition, manufacturing process, and raw materials we are not aware of any limitations to its recyclability. To the best of our knowledge, the recycling code PAP 21 according to Annex II of 97/129/EC can be assigned to a hypothetical packaging consisting purely of above mentioned material.

Biodegradability

The above mentioned product has not been tested on biodegradability or compostability. Based on knowledge on product composition and raw materials, we do not see significant restrictions in its biodegradability. Under the conditions of a compost heap or a well managed landfill site (sufficient air, moisture and heat) our coated paper would decompose into carbon dioxide and minerals, but without testing we can not estimate how long it takes. Due to its alkali properties the paper would even improve compost as it buffers soil acidification, a common challenge in agriculture. Our papers do contain fossil polymer binders. Information on product composition is available on Paper Profiles. We advise to favor paper recycling over composting in order to maximize the value and the lifecycle of the virgin fibres. If recycling is not possible, for example due to contamination or moisture, then composting or energy recovery are acceptable options.

7. Non-use and use of specific substances or materials

Genetically modified organisms

Genetically modified organisms are not intentionally added to the manufacturing process of *Algro Design*.

MOSH/MOAH (mineral oil)

MOSH/MOAH is not intentionally added as a paper raw material in the manufacture of *Algro Design*.

Radioactive substances/Radiation

During the production of above mentioned paper grade no radioactive substances are intentionally added. X-Ray measuring devices are installed in our paper machines in order to measure parameters like ash content and coating weight online. The ionizing effect of these measurements on the paper web can be considered to be negligible.

Nanomaterials

Raw materials, such as calcium carbonate, containing particles with one or more external dimensions in the nano range may be used in the manufacturing process of the above mentioned product. These particles would meet the definition of nanoparticles according to Commission Recommendation of 10 June 2022. The presence of these particles in the respective raw materials arises from a naturally occurring and/or technically unavoidable particle number-based size distribution. These particles are embedded in the paper matrix and are not anticipated to undergo migration.

Allergenes

No substances with allergenic hazard according to Annex II of EU 1169/2011 are intentionally added during the production of *Algro Design*, except for wheat starch, which may be added and in turn contains gluten. *Algro Design* therefore may contain less than 20 ppm gluten. According to the standard CXS 118-1979, dietary foods with less than 20 mg/kg are considered gluten-free foods. Amendments of EU 1169/2011, namely Commission Delegated Regulation (EU) No 78/2014 and Commission Delegated Regulation (EU) No 1155/2013 have been considered.

Persistent organic pollutants

None of the following substances listed in the annexes of the Stockholm Convention (last updated 2025) have been intentionally added during production of this product:

Annex A (Elimination)

- Aldrin
- Chlordane
- Chlordecone
- Chlorpyrifos
- Decabromodiphenyl ether (commercial mixture, c-decaBDE)
- Dechlorane Plus
- Dicofol
- Dieldrin
- Endrin
- Heptachlor
- Hexabromobiphenyl
- Hexabromocyclododecane (HBCDD)
- Hexabromodiphenyl ether and heptabromodiphenyl ether
- Hexachlorobenzene (HCB)
- Hexaclorobutadiene (HCBD)
- Alpha hexachlorocyclohexane
- Beta hexachlorocyclohexane
- Lindane
- Long-chain perfluorocarboxylic acids, their salts and related compounds
- Medium-chain chlorinated paraffins (MCCPs)
- Methoxychlor
- Mirex
- Pentachlorobenzene
- Pentachlorophenol and its salts and esters
- Polychlorinated biphenyls (PCBs)
- Polychlorinated naphtalenes
- Perfluorooctanic acid (PFOA), its salts and PFOA-related compounds
- Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds
- Short-chain chlorinated paraffins (SCCPs)
- Technical endosulfan and its related isomers
- Tetrabromodiphenyl ether and pentabromodiphenyl ether
- Toxaphene
- UV-328

Annex B (Restriction)

-DDT
-Perfluorooctane sulfonic acid (PFOS), its salts and perfluorooctane sulfonyl fluoride (PFOSF)

Annex C (Unintentional production)

-Hexachlorobenzene (HCB)
-Hexaclorobutadiene
-Pentachlorobenzene
-Polychlorinated biphenyls (PCBs)
-Polychlorinated dibenzo-*p*-dioxins (PCDD)
-Polychlorinated dibenzofurans (PCDF)
-Polychlorinated naphtalenes

None of the substances listed in Annexes I - IV in Regulation EU 2019/1021 are intentionally added during the production of *Algro Design*. The amendments up to and including 22th July 2024 (EU) 2024/2570 have been considered.

Ozone depleting substances

Substances listed in Montreal Protocol 1987 and in European regulation (EU) 2024/590 are not intentionally added during the production of *Algro Design*.

Titanium oxides

Titanium oxides (CAS 13463-67-7, 1317-80-2, 1317-70-0) are not intentionally added. The substances are not part of *Algro Design* formulation and they are not expected to be present in *Algro Design*.

Optical brightening agents

Optical brightening agents (OBAs) are intentionally used during the manufacture of *Algro Design*. These substances are used in accordance with respective BfR recommendations and FDA legislation.

PVDC

Polyvinylidene chloride (PVDC) is not addded to the manufacturing process of the above mentioned product.

Sulfur

As far as it concerns content of sulfur species, the above mentioned product is expected to contain almost exceptionally sulphate species, which originate from the fiber base. Sulphates are not considered ‘reducible sulfur species’ according to Tappi T406 and therefore not expected to oxidize metals in direct contact. The amount of ‘Reducible sulfur species’ according to Tappi T406 is expected to be at trace levels and therefore below the threshold to cause oxidation.

Conflict minerals

No gold, tin, tantalum or tungsten, or their derivatives, such as coltran, cassiterite, columbite-tantalite or wolframite, as laid out in the Dodd-Frank Wall Street Reform and Consumer Protection Act, Section 1502, are added during the production of *Algro Design*.

CMR Substances according to CLP legislation

During the production of *Algro Design*, no substances classified as cancerogenic, mutagenic or toxic for reproduction according to CLP regulation EC 1272/2008 are intentionally added.

Corn and corn by-products

During the production of above mentioned product, corn products (e.g. starch) are added.

Residual solvents

Based on our knowledge on the manufacturing process and the raw materials used in the above mentioned product, we expect no residual solvents to be present in the final product.

Dyes

Nuance dyes are intentionally added during the production of *Algro Design*. They are used in compliance with XXXVI recommendation of the BfR and FDA regulations.

Endocrine disruptors

None of the substances listed in the lists I and III of the website https://edlists.org/, administered by The Danish Environmental Protection Agency, are intentionally added during production of *Algro Design*, except for 2,2-dibromo-2-cyanoacetamide (DBNPA), CAS-No 10222-01-2, which is added as a biocide. It is not detected in the final paper.

Other substances

None of the following substances/substance classes have been intentionally added to the manufacturing process of *Algro Design*:

- Acetone (CAS 67-64-1)
- Alkylphenols and their ethoxylates
- Anthraquinone (CAS 84-65-1)
- Antimony Tris(Ethylene Glycoxide) (CAS 29736-75-2)
- Asbestos
- Azodicarbonamide (CAS 123-77-3)
- BAC (CAS 63449-41-2)
- BADGE, BFDGE, NOGE
- Benzene (CAS 71-43-2)
- Benzophenones
- Benzyl alcohol (CAS 100-51-6)
- Bisphenols
- Cadmium, lead, mercury, chromium and compounds thereof
- Chlorine and other halogens (Fluorine, Bromine, Iodine)
- Cholecalciferol (CAS 67-97-0)
- Cobalt and its compounds
- Creosote
- Cyanuric acid (CAS 108-80-5)
- DDAC (CAS 7173-51-5)
- Diisopropylnaphtalenes (DIPNs)
- Dimethylfumarate (CAS 624-49-7)
- Dioxane (CAS 123-91-1)
- Disodium guanylate (CAS 5550-12-9)
- Epoxy resins
- Epoxidised Soybean Oil (ESBO)
- Ethanol (CAS 64-17-5)
- Ethylene oxide (75-21-8)
- Formaldehyde
- Glyphosate (CAS 107-83-6)
- Glycol ethers
- GLYMO (CAS 2530-83-8), GLYEO (CAS 2602-34-8) and their reaction products, as well as other epoxy silanes
- Hexane (CAS 110-54-3)
- Inosinate (CAS 4691-65-0)
- Isobornyl Acrylate (CAS 5888-33-5)
- Isopropyl alcohol (IPA) (CAS 67-63-0)
- Isopropylthioxanthone (ITX, CAS 5495-84-1, 83846-86-0)
- Mancozeb (CAS 8018-01-7)
- Melamine (CAS 108-78-1)
- Micas
- Monosodium glutamate (CAS 142-47-2)

-Natural rubber latex materials
-N-Ethyl-Toluenesulfonamide (CAS 8047-99-2)
-Nitrosamines, Nitrites, Nitrates
-Nitrocellulose
-N-Methylpyrrolidone (NMP) (CAS 872-50-4)
-4-Nonylphenol (4-NP) (CAS 3050-88-2)
-Nonylphenolethoxylate (NPE, CAS 127087-87-0)
-Organic Peroxides
-Organotin compounds
-Orthophenylphenol (CAS 90-43-7)
-Partially hydrogenated terphenyls (HTPs)
-Pentachlorophenol (PCP)
-Pentanedione-2,4-titanium
-Perchlorates
-Pesticides and Fungicides
-Phenylalanin, Phenylamine
-Phthalates
-Polybrominated biphenyls
-Polycyclic aromatic hydrocarbons (PAHs)
-Polyvinylchloride (PVC)
-Primary aromatic amines and azo colorants which may cleave to form aromatic amines as listed in European regulation 1907/2006/EC (REACH)
-Radioactive materials, radioactive contamination
-Rayon
-Resorcinol (CAS No. 108-46-3)
-Rice plant derived substances
-Seed-bearing parts of a flowering plant (fruits)
-Sodium Antimonate A (CAS 15432-85-6)
-TAA Titanium Acetylacetonate (CAS 17501-79-0
-Thiuram (CAS 137-26-8)
-Toluene (CAS 108-88-3)
-Triclosan (CAS 3380-34-5)
-Tris(4-nonylphenyl, branched and linear) phosphite
-2,2,4-Trimethyl-1,3-pentandioldiisobutyrate (CAS 6846-50-0)
-Vinyl chloride (CAS 75-01-4)
-Volatile Organic Compounds
-Yeast
-TNPP, 4 NP and NPE

Bisphenols

We confirm, that Bisphenol A (CAS-No. 80-05-7), as well as other bisphenols and bisphenol derivatives are not intentionally added during the production of our paper grades.Considering articles 3 and 4 of Regulation 2024/3190/EC, we therefore consider *Algro Design* compliant with the regulation.

8. Disclaimer

Disclaimer

This declaration is restricted to the above mentioned product in the state it is delivered by us. This information provided in this statement applies only for the above mentioned product and may not substitute necessary end use testing. Sappi shall not be liable for any damage or injury resulting from misuse or uninstructed use of its products. This statement shall not be regarded as a warranty of fitness for particular purpose or end use. The end users shall have responsibility for verifying the suitability of *Algro Design* for a particular application or end use. The information given in this statement has been verified by Sappi at the date of its publication and we shall not be liable for any future changes in information, contents, processes, regulatory or legal requirements included in this statement. This statement is valid maximum one year unless a more recently dated version is available. Republishing this document is not permitted.

Vyhlásenie o zhode

Názov produktu: Algro Design
Popis produktu: Skladačková lepenka z bielej celulózy (Solid bleached cartonboard)
Dátum: 24. jún 2026

1. Všeobecné informácie

- **Zloženie buničiny:**

Produkt Algro Design sa vyrába zo zmesi celulózových vlákien bielenej bezpoužitím elementárneho a celkového chlóru (ECF/TCF). Výroba je založená výhradne na primárnych vláknach a na prípravu buničiny sa nepoužívajú žiadne recyklované vlákna. Ďalej potvrdzujeme, že Algro Design sa vyrába bez úmyselného pridávania akýchkoľvek recyklovaných materiálov.

- **Obsah kyselín / Obsah chloridov:**

Hodnota pH produktu Algro Design meraná podľa normy ISO 6588-1:2012-11 je v rozmedzí 8 – 10. Preto možno Algro Design opísať ako alkalický. Na obsah chloridov sa netestoval.

- **Odporúčania pre skladovanie a manipuláciu:**

Pri vhodných skladovacích podmienkach je funkčnosť produktu Algro Design zaručená po dobu 12 mesiacov od dodania. Vhodné skladovacie podmienky sú definované ako skladovanie dodaných kotúčov a hárkov v pôvodnom obale chránenom pred priamym slnečným žiarením pri priemernej klíme ($\pm 10\ \%$) $23\ ^\circ C$ a $50\ \%$ relatívnej vlhkosti. Vyhnúť sa treba najmä vysokým skladovacím teplotám, vysokej vlhkosti prostredia a priamemu UV žiareniu.
V prípade rozdielov medzi klímou v sklade a okolitými podmienkami počas spracovania sa musia kotúče a hárky skladovať minimálne 24 hodín v pôvodnom obale (prednostne 48 hodín v blízkosti spracovateľského stroja), aby sa zabezpečilo, že prijmu teplotu okolia. To platí aj pre čerstvo dodané papierové kotúče, pretože teplotné rozdiely po šírke pásu a dĺžke chodu by mohli negatívne ovplyvniť proces spracovania.
Aby sa predišlo vzniku otlačkov, záhybov a odchýlok rovinnosti (v prípade hárkov) v dôsledku výmeny vlhkosti s prostredím, pôvodný obal (najmä pri vlhkých klimatických podmienkach) by sa mal odstrániť až bezprostredne pred spracovaním. Otvorené kotúče sa musia opätovne vhodne zabaliť do obalu s bariérou proti vlhkosti.

- **Výrobný závod:**

Algro Design sa vyrába v závode Maastricht.

2. Status pre styk s potravinami

- **Podmienky pre styk s potravinami:**

Algro Design možno použiť ako materiál určený na styk s potravinami. Môže sa použiť na dlhodobý styk (maximálne 2 roky) pri izbovej teplote. Tiež ho možno použiť na krátkodobý styk (maximálne 2 hodiny) pri teplotách do $90\ ^\circ C$ (uchovávanie a ohrev potravín) v súlade s odporúčaním XXXVI úradu BfR. Môže sa použiť v priamom styku so suchými potravinami. Okrem toho môže prísť do styku s takými tukovými potravinami, ktorým bol priradený korekčný faktor minimálne 3 podľa Prílohy III, tabuľky 2 Nariadenia Komisie (EÚ) č. 10/2011.

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

- **Súlad s Nariadením (ES) č. 1935/2004:**

Algro Design spĺňa požiadavky rámcového Nariadenia (ES) č. 1935/2004 o materiáloch a predmetoch určených na styk s potravinami. Algro Design sa môže použiť ako obal na potraviny.

- **Súlad s Nariadením (ES) č. 2023/2006:**

Algro Design bol vyrobený v súlade s Nariadením Komisie (ES) č. 2023/2006 o dobrej výrobnej praxi pre materiály a predmety určené na styk s potravinami. Výrobný závod má zavedený systém riadenia kvality podľa normy ISO 9001, ako aj systém riadenia hygieny, pričom oba sú externe certifikované.

- **Súlad s odporúčaním BfR XXXVI:**

Bolo zistené, že Algro Design spĺňa požiadavky stanovené v odporúčaní Spolkového inštitútu pre hodnotenie rizík (BfR) XXXVI „Papier, kartón a lepenka pre styk s potravinami“ (Papier, Kartons und Pappen für den Lebensmittelkontakt).

- **Súlad so zákonom o potravinách a krmivách (LFGB):**

Algro Design spĺňa pravidlá aktuálnej verzie nemeckého Zákonníka o potravinách, spotrebnom tovare a krmivách (LFGB).

- **Súlad s talianskou legislatívou DM 21.3.73:**

Súlad produktu Algro Design s ministerským výnosom z 21. marca 1973 nebol hodnotený.

- **Súlad s požiadavkami FDA pre obaly potravín:**

Algro Design spĺňa požiadavky Kódexu federálnych predpisov pre potraviny a lieky (FDA), 21 CFR Ch. 1 (verzia z apríla 2024), §§ 176.170 a 176.180.

- **Súlad so švajčiarskym nariadením o obalových materiáloch pre potraviny:**

Algro Design spĺňa požiadavky uvedené vo Švajčiarskom nariadení o materiáloch a predmetoch (SR 817.023.21), Časť 9, Článok 27. Obsahuje výhradne primárne vlákna a žiadne recyklované vlákna.

- **Súlad s Nariadením (EÚ) č. 10/2011:**

Algro Design nespadá do rozsahu pôsobnosti Nariadenia Komisie (EÚ) č. 10/2011 o plastových materiáloch a predmetoch určených na styk s potravinami, keďže neide o plast. Algro Design môže obsahovať látky podliehajúce špecifickému migračnému limitu (SML) podľa tohto nariadenia. Na základe informácií poskytnutých dodávateľmi surovín sa vykonávajú výpočty najhoršieho scenára (worst-case) na určenie obsahu príslušných látok SML v produkte Algro Design. Na základe tohto vypočítaného obsahu sú limity SML pre každú látku (alebo skupinu látok) migrujúcu do potraviny dodržané, ak sa uvažuje s pomerom materiálu prichádzajúceho do styku s potravinou a potraviny vo výške $13\ \mathrm{dm}^2/\mathrm{kg}$. Zohľadnené boli zmeny a doplnenia až do 21. februára 2025 (Nariadenie Komisie (EÚ) 2025/351).

3. Bezpečnosť hračiek

- **Bezpečnosť hračiek EN 71/3:**

Algro Design bol testovaný a spĺňa požiadavky najnovšej verzie normy o bezpečnosti hračiek EN 71-3: „Migrácia určitých prvkov“.

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

4. Príslušná legislatíva

- **Súlad s Nariadením (ES) č. 1907/2006 (REACH):**

REACH sa primárne zaoberá chemickými látkami a prípravkami. Z pohľadu REACH sa papier považuje za výrobok. Požiadavky na registráciu alebo oznámenie sa na výrobky vzťahujú len vtedy, ak sú splnené určité kritériá. To nie je prípad vyššie uvedeného produktu, preto požiadavky na registráciu alebo oznámenie podľa REACH nelze uplatniť.
Žiadna z látok uvedených v Zozname kandidátskych látok vzbudzujúcich veľmi veľké obavy (SVHC) úradu ECHA, aktualizovanom 4. februára 2026, nie je úmyselne použitá v receptúre alebo počas výrobného procesu vyššie uvedeného produktu v obsahu $> 0{,}1\ \%$. Dôkladne potvrdzujeme aj súlad s článkom 33 Nariadenia (ES) č. 1907/2006 o povinnosti oznamovať informácie o látkach vo výrobkoch.

- **Súlad s Nariadením (EÚ) 2025/40 (PPWR):**
    - **Článok 5 ods. 4 – Minimalizácia obávaných látok (ťažké kovy):** Algro Design spĺňa požiadavky na ťažké kovy stanovené v článku 5.4 Nariadenia (EÚ) 2025/40 (PPWR).
    - **Článok 5 ods. 5 – Obávané látky (PFAS / Celkový fluór):** PFAS sa pri výrobnom procese Algro Design úmyselne nepridávajú. Druhy papiera Sappi boli analyzované podľa testovacieho prístupu odporúčaného v usmernení k článku 5(5) Nariadenia (EÚ) 2025/40 (PPWR). Na základe získaných výsledkov testov Algro Design spĺňa požiadavky stanovené v článku 5.5 Nariadenia (EÚ) 2025/40 (PPWR).
    - **Článok 6 – Recyklovateľnosť:** Recyklovateľnosť produktu Algro Design bola preukázaná. Požiadavky stanovené v norme EN 13430:2004 (Požiadavky na obaly zhodnotiteľné materiálovou recykláciou) sú splnené.
    - Údaje odrážajú súlad s Nariadením (EÚ) 2025/40 (PPWR) vrátane článku 5(4) (ťažké kovy), článku 5(5) (obávané látky / PFAS) a článku 6 (recyklovateľnosť), v rozsahu, v akom sú uplatniteľné. Boli vybrané, testované a krížovo overené reprezentatívne vzorky z každého závodu a/alebo rodiny značiek. Tieto informácie platia pre papierové produkty dodávané závodmi Sappi pred akýmikoľvek ďalšími procesmi spracovania.
- **CONEG:**

Algro Design spĺňa požiadavky aktuálnej verzie vzorovej legislatívy o toxických látkach organizácie CONEG týkajúce sa obsahu ťažkých kovov. Súčet ťažkých kovov Cr(VI), Pb, Cd a Hg je pod 100 ppm.

- **EN 13427:**

V prípade, že sa Algro Design použije ako súčasť obalového materiálu, nasledujúce vyhlásenia týkajúce sa noriem EN 13427 a nasl. môžu slúžiť ako podklad pre výrobcu hotového obalu:

- **EN 13427:** Táto norma špecifikuje požiadavky a postup, ktorým osoba alebo organizácia zodpovedná za uvedenie obalu alebo baleného výrobku na trh môže skombinovať uplatnenie nasledujúcich obalových noriem.
- **EN 13428:** Algro Design je vyrobený bez použitia zberového papiera. Používanie nebezpečných chemikálií počas výroby bolo minimalizované. Súčet obsahu ťažkých kovov olova (Pb), kadmia (Cd), ortuti (Hg) a chrómu (Cr(VI)) v Algro Design je pod 100 ppm.

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

- **EN 13429:** Táto norma nie je priamo uplatniteľná na Algro Design a závisí od vlastností hotového obalu.
- **EN 13430:** Algro Design je plne recyklovateľný a spĺňa kritériá tejto normy týkajúce sa materiálovej recyklácie. Odporúčame a nabádame všetkých používateľov našich papierov, aby po použití náš papier recyklovali.
- **EN 13431:** Algro Design prispeje pozitívnou výhrevnosťou v procese zhodnocovania tepelnej energie. Odporúčame však uprednostniť materiálovú recykláciu pred spaľovaním.
- **EN 13432:** Algro Design nebol testovaný na požiadavky tejto klauzuly. Odporúčame uprednostniť materiálovú recykláciu pred kompostovaním.

- **Súlad s Nariadením (EÚ) 528/2012 (Biocídy):**

Konzervačné látky použité pri výrobe Algro Design (napr. v pigmentových suspenziách) spĺňajú Nariadenie (EÚ) 528/2012 v znení neskorších predpisov a používajú sa v súlade s odporúčaním XXXVI úradu BfR. Na vyššie uvedený produkt sa neaplikuje žiadne špeciálne biocídne ošetrenie na dodanie antimikrobiálneho účinku, preto nejde o „ošetrený výrobok“ v zmysle Nariadenia (EÚ) 528/2012. Algro Design nemá vplyv na rast mikroorganizmov, čo je preukázané negatívnym testom inhibičnej zóny (Hemmhof test) podľa norma DIN EN 1104.

- **Súlad so smernicou 2011/65/EÚ (RoHS):**

Smernica EÚ 2011/65/ES o obmedzení používania určitých nebezpečných látok v elektrických a elektronických zariadeniach (smernica RoHS a jej zmeny – Smernica (EÚ) 2015/863 a Smernica (EÚ) 2017/2102) nie je na Algro Design uplatniteľná.

- **Zákon o bezpečnej pitnej vode a presadzovaní toxických látok z roku 1986 (Proposition 65):**

Látky uvedené v najnovšej verzii zákona Proposition 65 neboli úmyselne pridané do výrobného procesu vyššie uvedeného produktu. Zohľadnené boli aktualizácie do 5. decembra 2025 vrátane.

5. Rôzne

- **Testovanie na zvieratách:**

Výrobné závody pre Algro Design nevykonávajú ani nezadávajú testovanie na zvieratách s produktom Algro Design. Naši dodávatelia potvrdili, že pri svojich produktoch nevykonávajú ani nezadávajú testy na zvieratách vôbec, alebo ich zadávajú len ako súčasť toxikologického hodnotenia na zaistenie bezpečnosti a súladu s predpismi. Príslušní dodávatelia potvrdili, že neustále hľadajú alternatívy in-vitro akceptované právnymi orgánmi, aby aktívne minimalizovali testovanie na zvieratách.

- **Riziko BSE/TSE:**

Suroviny živočíšneho pôvodu klasifikované ako rizikové materiály podľa NARIADENIA KOMISIE (ES) č. 1326/2001, Príloha III, sa pri výrobe Algro Design nepoužívajú. Pre všetky pomocné spracovateľské látky (t. j. odpeňovače) už máme k dispozícii vyhlásenia našich dodávateľov, ktoré špecificky vylučujú riziko TSE. Podrobnejšie príslušní dodávatelia potvrdili, že počas výroby príslušných surovín a ich prekurzorov sa uplatňujú podmienky uvedené v EMEA/410/1, časť 6.4, resp. v Prílohe I 3. nariadenia EÚ 722/2012.

- **Halal / Kóšer:**

Prítomnosť stôp látok živočíšneho pôvodu v produkte Algro Design nemožno úplne vylúčiť. Algro Design ani výrobné závody neboli posudzované ani certifikované ako kóšer alebo halal.

- **Látky živočíšneho pôvodu:**

Prítomnosť stôp látok živočíšneho pôvodu v produkte Algro Design nemožno úplne vylúčiť.

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

6. Informácie o scenároch konca životnosti

- **Recyklovateľnosť:**

Vyššie uvedený produkt je plne recyklovateľný v toku zberového papiera. Algro Design nebol testovaný na vlastnosti rozvláknitelnosti, ale podľa našich najlepších vedomostí o zložení, výrobnom procese a surovinách produktu nie sú známe žiadne obmedzenia jeho recyklovateľnosti. Podľa našich najlepších vedomostí možno kód recyklácie PAP 21 podľa Prílohy II výnosu 97/129/ES priradiť hypotetickému obalu pozostávajúcemu čisto z vyššie uvedeného materiálu.

- **Biologická odbúrateľnosť:**

Vyššie uvedený produkt nebol testovaný na biologickú odbúrateľnosť ani kompostovateľnosť. Na základe poznatkov o zložení produktu a surovinách nevidíme výrazné obmedzenia v jeho biologickej rozložiteľnosti. V podmienkach kompostu alebo dobre riadenej skládky (dostatok vzduchu, vlhkosti a tepla) by sa náš natieraný papier rozložil na oxid uhličitý a minerály, avšak bez testovania nemôžeme odhadnúť, ako dlho to trvá. Vďaka svojim alkalickým vlastnostiam by papier dokonca zlepšil kompost, keďže pufruje zakyslenie pôdy, čo je bežný problém v poľnohospodárstve. Naše papiere obsahujú fosílne polymérne spojivá. Informácie o zložení produktu sú k dispozícii v dokumentoch Paper Profiles. Odporúčame uprednostniť recykláciu papiera pred kompostovaním, aby sa maximalizovala hodnota a životný cyklus primárnych vlákien. Ak recyklácia nie je možná (napríklad z dôvodu kontaminácie alebo vlhkosti), akceptovateľnými možnosťami sú kompostovanie alebo energetické zhodnotenie.

7. Nepoužitie a použitie špecifických látok alebo materiálov

- **Geneticky modifikované organizmy (GMO):**

Geneticky modifikované organizmy sa do výrobného procesu Algro Design úmyselne nepridávajú.

- **MOSH/MOAH (minerálne oleje):**

MOSH/MOAH sa úmyselne nepridávajú ako papierenská surovina pri výrobe Algro Design.

- **Rádioaktívne látky / Žiarenie:**

Počas výroby vyššie uvedeného druhu papiera sa úmyselne nepridávajú žiadne rádioaktívne látky. V našich papierenských strojoch sú nainštalované röntgenové meracie zariadenia na online meranie parametrov, ako je obsah popola a hmotnosť náteru. Ionizujúci účinok týchto meraní na pás papiera možno považovať za zanedbateľný.

- **Nanomateriály:**

Pri výrobnom procese sa môžu použiť suroviny (ako uhličitan vápenatý) obsahujúce častice s jedným alebo viacerými vonkajšími rozmermi v nano rozsahu. Tieto častice by spĺňali definíciu nanočastíc podľa odporúčania Komisie z 10. júna 2022. Prítomnosť týchto častíc v príslušných surovinách vyplýva z prirodzene sa vyskytujúceho a/alebo technicky nevyhnutného rozdelenia veľkosti na základe počtu častíc. Tieto častice sú zabudované v papierovej matrici a neočakáva sa ich migrácia.

- **Alergény:**

Počas výroby Algro Design sa úmyselne nepridávajú žiadne látky s nebezpečenstvom alergie podľa Prílohy II nariadenia EÚ 1169/2011, okrem pšeničného škrobu, ktorý sa môže pridať a ten obsahuje lepok. Algro Design preto môže obsahovať menej ako 20 ppm lepku. Podľa normy CXS 118-1979 sa dietetické potraviny s obsahom menej ako 20 mg/kg považujú za

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

potraviny bez lepku. Zohľadnené boli zmeny a doplnenia nariadenia EÚ 1169/2011, a to Delegované nariadenie Komisie (EÚ) č. 78/2014 a Delegované nariadenie Komisie (EÚ) č. 1155/2013.

- **Perzistentné organické znečisťujúce látky (POP):**

Žiadna z nasledujúcich látok uvedených v prílohách Stokholmského dohovoru (naposledy aktualizovaného v roku 2025) nebola úmyselne pridaná počas výroby tohto produktu:

  - **Príloha A (Eliminácia):** Aldrin, Chlordán, Chlórdekón, Chlorpyrifos, Dekabrómdifenyléter (komerčná zmes, c-decaBDE), Dechloran Plus, Dikofol, Dieldrin, Endrin, Heptachlór, Hexabrómbifenyl, Hexabrómcyklododekán (HBCDD), Hexabrómdifenyléter a heptabrómdifenyléter, Hexachlórbenzén (HCB), Hexachlórbutadién (HCBD), Alfa-hexachlórcyklohexán, Beta-hexachlórcyklohexán, Lindán, Dlhořetazcové perfluórkarboxylové kyseliny, ich soli a príbuzné zlúčeniny, Stredneřetazcové chlórované parafíny (MCCP), Metoxychlór, Mirex, Pentachlórbenzén, Pentachlórfenol a jeho soli a estery, Polychlórované bipfenyly (PCB), Polychlórované naftalény, Kyselina perfluóroktánová (PFOA), jej soli a zlúčeniny príbuzné s PFOA, Kyselina perfluórhexánsulfónová (PFHxS), jej soli a zlúčeniny príbuzné s PFHxS, Krátkořetazcové chlórované parafíny (SCCP), Technický endosulfán a jeho príbuzné izoméry, Tetrabrómdifenyléter a pentabrómdifenyléter, Toxafén, UV-328.
  - **Príloha B (Obmedzenie):** DDT, Kyselina perfluóroktánsulfónová (PFOS), jej soli a perfluóroktánsulfonylfluorid (PFOSF).
  - **Príloha C (Neúmyselná výroba):** Hexachlórbenzén (HCB), Hexachlórbutadién, Pentachlórbenzén, Polychlórované bipfenyly (PCB), Polychlórované dibenzo-p-dioxíny (PCDD), Polychlórované dibenzofurány (PCDF), Polychlórované naftalény.

Žiadna z látok uvedených v prílohách I – IV Nariadenia EÚ 2019/1021 nie je úmyselne pridaná počas výroby Algro Design. Zohľadnené boli zmeny a doplnenia do 22. júla 2024 (EÚ) 2024/2570.

- **Látky poškodzujúce ozónovú vrstvu:**

Látky uvedené v Montrealskom protokole z roku 1987 a v európskom Nariadení (EÚ) 2024/590 sa úmyselne nepridávajú počas výroby Algro Design.

- **Oxidy titánu:**

Oxidy titánu (CAS 13463-67-7, 1317-80-2, 1317-70-0) sa úmyselne nepridávajú. Tieto látky nie sú súčasťou receptúry Algro Design a neočakáva sa ich prítomnosť v produkte.

- **Opticky zjasňujúce prostriedky (OBA):**

Opticky zjasňujúce prostriedky sa úmyselne používajú pri výrobe Algro Design. Tieto látky sa používajú v súlade s príslušnými odporúčaniami BfR a legislatívou FDA.

- **PVDC:**

Polyvinylidénchlorid (PVDC) sa nepridáva do výrobného procesu vyššie uvedeného produktu.

- **Sra:**

Pokiaľ ide o obsah zlúčenín síry, očakáva sa, že vyššie uvedený produkt obsahuje takmer výhradne síranové formy, ktoré pochádzajú z vláknitého základu. Sírany sa nepovažujú za „redukovateľné druhy síry“ podľa normy Tappi T406, a preto sa neočakáva, že by oxidovali

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

kovy v priamom styku. Očakáva sa, že množstvo „redukovateľných druh do síry“ podľa Tappi T406 bude na úrovni stôp, a teda pod prahom, ktorý by spôsobil oxidáciu.

- **Konfliktné minerály:**

Pri výrobe Algro Design sa nepridáva žiadne zlato, cín, tantal ani volfrám, ani ich deriváty (ako koltan, kasiterit, kolumbit-tantalit alebo wolframit), ako je stanovené v zákone Dodd-Frank Wall Street Reform and Consumer Protection Act, časť 1502.

- **Látky CMR podľa legislatívy CLP:**

Počas výroby Algro Design sa úmyselne nepridávajú žiadne látky klasifikované ako karcinogénne, mutagénne alebo reprodukčne toxické podľa nariadenia CLP (ES) 1272/2008.

- **Kukurica a produkty z kukurice:**

Počas výroby vyššie uvedeného produktu sa pridávajú kukuričné produkty (napr. škrob).

- **Zvyškové rozpúšťadlá:**

Na základe našich poznatkov o výrobnom procese a surovinách použitých vo vyššie uvedenom produkte neočakávame v konečnom produkte prítomnosť žiadnych zvyškových rozpúšťadiel.

- **Farbivá:**

Tónovacie farbivá sa úmyselne pridávajú počas výroby Algro Design. Používajú sa v súlade s odporúčaním XXXVI úradu BfR a predpismi FDA.

- **Endokrinné disruptory:**

Žiadna z látok uvedených v zoznamoch I a III na webovej stránke edlists.org (spravovanej Dánskou agentúrou pre ochranu životného prostredia) sa úmyselne nepridáva počas výroby Algro Design, okrem 2,2-dibróm-2-kyanoacetamidu (DBNPA), č. CAS 10222-01-2, ktorý sa pridáva ako biocíd. V konečnom papieri nie je detegovaný.

- **Ostatné látky:**

Žiadna z nasledujúcich látok / tried látok nebola úmyselne pridaná do výrobného procesu Algro Design:
Aceton (CAS 67-64-1), Alkylfenoly a ich etoxyláty, Antrachinón (CAS 84-65-1), Tri(etylénglykolát) antimónitý (CAS 29736-75-2), Azbest, Azodikarbonamid (CAS 123-77-3), BAC (CAS 63449-41-2), BADGE, BFDGE, NOGE, Benzén (CAS 71-43-2), Benzofenóny, Benzylalkohol (CAS 100-51-6), Bisfenoly, Kadmium, olovo, ortuť, chróm a ich zlúčeniny, Chlór a iné halogény (fluór, bróm, jód), Cholekalciferol (CAS 67-97-0), Kobalt a jeho zlúčeniny, Kreozót, Kyselina kyanurová (CAS 108-80-5), DDAC (CAS 7173-51-5), Diizopropylnaftalény (DIPN), Dimetylfumarát (CAS 624-49-7), Dioxán (CAS 123-91-1), Guanylan disodný (CAS 5550-12-9), Epoxidové živice, Epoxidovaný sójový olej (ESBO), Etanol (CAS 64-17-5), Etylénoxid (75-21-8), Formaldehyd, Glyfostát (CAS 107-83-6), Glykolétery, GLYMO (CAS 2530-83-8), GLYEO (CAS 2602-34-8) a ich reakčné produkty, ako aj iné epoxysilány, Hexán (CAS 110-54-3), Inozinát (CAS 4691-65-0), Izobornylakrylát (CAS 5888-33-5), Izopropylalkohol (IPA) (CAS 67-63-0), Izopropyltiozantón (ITX, CAS 5495-84-1, 83846-86-0), Mankozeb (CAS 8018-01-7), Melamín (CAS 108-78-1), Sľudy, Glutaman sodný (CAS 142-47-2), Prírodný kaučukový latex, N-Etyl-toluénsulfónamid (CAS 8047-99-2), Nitrozamíny, nitrity, nitráty, Nitrocelulóza, N-Metylpyrolidón (NMP) (CAS 872-50-4), 4-Nonylfenol (4-NP) (CAS 3050-88-2), Nonylfenoletoxylát (NPE, CAS 127087-87-0), Organické peroxidy, Organocínové zlúčeniny, Ortofenylfenol (CAS 90-43-7), Čiastočne hydrogenované terfenyly (HTP), Pentachlórfenol (PCP), Pentándión-2,4-titán, Cezchlorany, Pesticídy a fungicídy, Fenylalanín, fenylamín, Ftaláty, Polybrómované bipfenyly, Polycyklické aromatické uhľovodíky (PAU),

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.

Polyvinylchlorid (PVC), Primárne aromatické amíny a azo-farbivá, ktoré sa môžu štiepiť za vzniku aromatických amínov uvedených v nariadení (ES) 1907/2006 (REACH), Rádioaktívne materiály, rádioaktívna kontaminácia, Rayon, Rezorcinol (CAS 108-46-3), Látky pochádzajúce z ryže, Semenné časti kvitnúcich rastlín (plody), Antimonitan sodný A (CAS 15432-85-6), TAA Acetylacetonát titaničitý (CAS 17501-79-0), Tiuram (CAS 137-26-8), Toluén (CAS 108-88-3), Triklosan (CAS 3380-34-5), Tris(4-nonylfenyl, vetvený a lineárny) fosfit, 2,2,4-Trimetyl-1,3-pentándioldizobutyrát (CAS 6846-50-0), Vinylchlorid (CAS 75-01-4), Tkané organické zlúčeniny (VOC), Kvasinky, TNPP, 4-NP a NPE.

- **Bisfenoly:**

Potvrdzujeme, že Bisfenol A (č. CAS 80-05-7), ako aj ostatné bisfenoly a deriváty bisfenolov sa úmyselne nepridávajú počas výroby našich druhov papiera. Vzhľadom na články 3 a 4 Nariadenia (ES) 2024/3190 preto považujeme Algro Design za súladný s týmto nariadením.

8. Vylúčenie zodpovednosti

Toto vyhlásenie je obmedzené na vyššie uvedený produkt v stave, v akom ho dodávame. Informácie poskytnuté v tomto vyhlásení sa vzťahujú len na vyššie uvedený produkt a nemôžu nahradiť potrebné testy konečného použitia. Spoločnosť Sappi nenesie zodpovednosť za žiadne škody alebo zranenia spôsobené nesprávnym používaním alebo používaním bez pokynov. Toto vyhlásenie sa nepovažuje za záruku vhodnosti na konkrétny účel alebo konečné použitie. Koneční používatelia sú zodpovední za overenie vhodnosti produktu Algro Design na konkrétnu aplikáciu alebo konečné použitie. Informácie uvedené v tomto vyhlásení boli overené spoločnosťou Sappi ku dňu jeho publikácie a nenesieme zodpovednosť za žiadne budúce zmeny v informáciách, obsahu, procesoch, regulačných alebo právnych požiadavkách zahrnutých v tomto vyhlásení. Toto vyhlásenie platí maximálne jeden rok, pokiaľ nie je k dispozícii novšia verzia. Opätovné publikovanie tohto dokumentu nie je povolené.

Sappi Europe
Glaverbel Building, 166 Chaussée de la Hulpe, 1170 Bruselský región, BELGICKO
Tel: +32 (0)2 676 9700
Dr. Christian Torborg
Špecialista pre regulačné záležitosti (Regulatory Affairs Specialist)
Tel: +49 5181 77 744 | Mob: +49 151 53838695
E-mail: christian.torborg@sappi.com

Tento dokument je dôverný a je určený len pre príjemcu, ktorému spoločnosť Europapier Slovensko, s.r.o. tento dokument zaslala.
Tento dokument nesmie byť ďalej distribuovaný tretím stranám bez predchádzajúceho výslovného súhlasu spoločnosti Europapier Slovensko, s.r.o.